

## REFERENCES

- Anderson, T.W., 1995, Summary of the southwest alluvial basins, Regional Aquifer-System Analysis, south-central Arizona and parts of adjacent states: U.S. Geological Survey Professional Paper 1406-A, 33 p.
- Averitt, P., 1967, Geologic map of the Kanarraville Quadrangle, Iron County, Utah: U.S. Geological Survey Map GQ-694.
- Bjorklund, L.J., Sumsion, C.T., and Sandberg, G.W., 1978, Ground-water resources of the Parowan-Cedar City drainage basin, Iron County, Utah: State of Utah Department of Natural Resources Technical Publication No. 60, 93 p.
- Budding, K.E., and Sommer, S.N., 1986, Low-temperature geothermal assessment of the Santa Clara and Virgin River valleys, Washington County, Utah: Utah Geological and Mineral Survey Special Studies No. 67, 34 p.
- Busenberg, E., and Plummer, L.N., 1992, Use of chlorofluorocarbons (CCL<sub>3</sub>F and CCl<sub>2</sub>F) as hydrologic tracers and age-dating tools: The alluvium and terrace system of central Oklahoma: Water Resources Research, 28, p. 2257-2883.
- Christensen, R.E., Johnson, E.B., and Plantz, G.G., 1985, Manual for estimating streamflow characteristics of natural-flow streams in the Colorado River Basin in Utah: U.S. Geological Survey Water Resources Investigations Report 85-4297, 39 p.
- Clyde, C.G., 1987, Groundwater Resources of the Virgin River Basin in Utah: State of Utah Department of Natural Resources, Water Resources Draft Report, 97 p.
- Cook, E.F., 1957, Geology of the Pine Valley Mountains, Utah: Utah Geological and Mineralogical Survey Bulletin 58, 111 p.
- Cook, E.F., 1960, Geologic atlas of Utah, Washington County: Utah Geological and Mineralogical Survey Bulletin 70, 124 p.
- Cook, P.G. and Solomon, D.K., 1995, The transport of atmospheric trace gases to the water table: Implications for ground water dating with chlorofluorocarbons and krypton-85: Water Resources Research, 31, p. 263-270.
- Cordova, R.M., Sandberg, G.W., and McConkie, W., 1972, Ground-water conditions in the central Virgin River basin, Utah: State of Utah Department of Natural Resources Technical Publication No. 40, 64 p.
- Cordova, R.M., 1978, Ground-water conditions in the Navajo Sandstone in the central Virgin River basin, Utah: State of Utah Department of Natural Resources Technical Publication No. 61, 66 p.
- Cordy, G.E., Seiler, R.L., and Stolp, B.J., 1993, Hydrology of the L.C. Holding coal-lease tract and adjacent areas, southwestern Utah, and potential effects of coal mining: U.S. Geological Survey Water-Resources Investigations Report 91-4111, 84 p.
- Craig, H., 1961, Isotopic variations on meteoric waters: Science, v. 133, p. 1702-1703.
- Criddle, W.D., Harris, Karl, and Willardson, L.S., 1962, Consumptive use of water requirements for Utah: Utah State Engineer Technical Publication 8 (revised).
- Dettinger, M.D., 1989, Reconnaissance estimates of natural recharge to basins in Nevada, U.S.A., by using chloride-balance calculations: Journal of Hydrology, v. 106, p. 55-78.
- Dincer, T., A. Al-Mugrin, V. Zimmermann, 1974, Study of infiltration and recharge through sand dunes in arid zones with special reference to stable isotopes and thermonuclear tritium: Journal of Hydrology, v. 23, p. 79-109.
- Elkins, J.W., Thompson, T.M., Swanson, T.H., Butler, J.H., Hall, B.D., Cummings, S.O., Fisher, D.A., and Raffo, A.G., 1993, Decrease in growth rates of atmospheric chlorofluorocarbons 11 and 12: Nature, 364, p. 780-783.
- Fenneman, N.M., 1931, Physiography of the Western United States: New York, McGraw-Hill, 534 p.
- Franke, O.L., Reilly, T.E., and Bennett, G.D., 1987, Definition of boundary and initial conditions in the analysis of saturated ground-water flow systems—An introduction: Techniques of Water-Resources Investigations of the U.S. Geological Survey, TWRI Book 3, Chapter B5, 15 p.
- Freeze, R.A., and Cherry, J.A., 1979, Groundwater: New Jersey, Prentice-Hall, Inc., 604 p.
- Gatewood, J.S., Robinson, T.W., Colby, B.R., Hem, J.D., and Halpenny, L.C., 1950, Use of water by bottom-land vegetation in lower Safford Valley, Arizona: U.S. Geological Survey Water-Supply Paper 1103, 210 p.
- Harbaugh, A.W., and McDonald, M.G., 1996, User's documentation for MODFLOW-96, an update to the U.S. Geological Survey modular finite-difference ground-water flow model: U.S. Geological Survey Open-File Report 96-485, 56 p.

- Harrill, J.R., and Prudic, D.E., 1998, Aquifer systems of the Great Basin region of Nevada, Utah, and adjacent states—Summary Report: U.S. Geological Survey Professional Paper 1409-A, 66 p.
- Herbert, L.R., 1995, Seepage study of the Virgin River from Ash Creek to Harrisburg Dome, Washington County, Utah: State of Utah Department of Natural Resources Technical Publication No. 106, 8 p.
- Herbert, L.R., Tibbetts, J.R., Wilberg, D.E., Allen, D.V., and Canny, D.D., 1997, Water Resources Data, Utah, Water Year 1996: U.S. Geological Survey Water-Data Report UT-96-1, 299 p.
- Hershey, Ron, 1989, Hydrogeology and hydrogeochemistry of the Spring Mountains, Clark County, Nevada, Master's thesis, University of Nevada, Las Vegas, Department of Geosciences, 198 p.
- Hill, R.W., 1994, Consumptive use of irrigated crops in Utah: Utah State University/ Utah Agricultural Experiment Station Research Report 145, 361 p.
- Hintze, L.F., and Hammond, B.J., 1994, Geologic map of the Shivwits Quadrangle, Washington County, Utah: Utah Geological Survey Map 153.
- Hood, J.W., and Waddell, K.M., 1968, Hydrologic reconnaissance of Skull Valley, Tooele County, Utah: State of Utah Department of Natural Resources Technical Publication No. 18, 54 p.
- Hurlow, H.A., 1998, The geology of the central Virgin River Basin, southwestern Utah, and its relation to ground-water conditions, Utah Geological Survey Water-Resources Bulletin 26, 53 p.
- Jensen, M.E., Lowe, M. and Wireman, M., 1997, Investigation of hydrogeologic mapping to delineate protection zones around springs: Report of two case studies: U.S. Environmental Protection Agency Report 600/R-97/023, 60 p.
- Lehmann, B.E., Davis, S.N., and Fabryka-Martin, J.T., 1993, Atmospheric and subsurface sources of stable and radioactive nuclides used for groundwater dating, *Water Resources Research* 29, p. 2027-2040.
- Lohman, S.W., 1979, Ground-water hydraulics: U.S. Geological Survey Professional Paper 708, 70 p.
- Lovelock, J.E., 1971, Atmospheric fluorine compounds as indicators of air movements, *Nature*, 230, p. 379.
- Maxey, G.B., and Eakin, T.E., 1949, Ground water in White River Valley, White Pine, Nye, and Lincoln Counties, Utah: Nevada State Engineer Water Resources Bulletin 8, 59 p.
- Mazor, 1991
- McDonald, M.G., and Harbaugh, A.W., 1988, A modular three-dimensional finite-difference ground-water flow model: Techniques of Water-Resources Investigations of the U.S. Geological Survey, Chapter A-1, Book 6, Modeling Techniques.
- Mower, R.W., and Sandberg, G.W., 1982, Hydrology of the Beryl-Enterprise area, Escalante Desert, Utah, with emphasis on ground water: State of Utah Department of Natural Resources Technical Publication No. 73, 66 p.
- Muckel, D.C., and Blaney, H.F., 1945, Utilization of the waters of the lower San Luis Rey Valley, San Diego County, California: U.S. Department of Agriculture, Soil Conservation Service.
- Parker, J.T. and Pool, D.R., 1998, Use of microgravity to assess the effects of El Nino on ground-water storage in southern Arizona, U.S. Geological Survey Fact Sheet 060-98.
- Plummer, L.N., Michel, R.L., Thurman, E.M., and Glynn, P.D., 1993, Environmental tracers for age-dating young groundwater, *in* regional ground-water quality, Van Nostrand Reinhold, New York, N.Y., p. 255-294.
- Prudic, D.E., 1989, Documentation of a computer program to simulate stream-aquifer relations using a modular, finite-difference, ground-water flow model: U.S. Geological Survey Open-File Report 88-729, 113 p.
- Pruess, 1998, On water seepage and fast preferential flow in heterogeneous, unsaturated rock fractures: *Journal of Contaminant Hydrology*, v. 30, p. 333-362.
- ReMillard, M.D., Anderson, G.C., Hookano, E., and Sandberg, G.W., 1982, Water resources data, Utah, Water Year 1982, U.S. Geological Survey Water-Data Report UT-82-1, 497 p.
- Robinson, T.W., 1958, Phreatophytes: U.S. Geological Survey Water-Supply Paper 1423, 84 p.
- Rowland, F. S. and Molina, M.J., 1975, Chlorofluoromethanes in the environment, *in* Review of Geophysics and Space Physics, 13, p. 1-35.
- Russell, A.D., and Thompson, G.M., 1983, Mechanisms leading to enrichment of the atmospheric fluorocarbons CCL<sub>3</sub>F and CCl<sub>2</sub>F<sub>2</sub> in groundwater, *Water Resources Research*, 19, p. 57-60.
- Scanlon, B.R., 1992, Evaluation of liquid and vapor water flow in desert soils based on chlorine 36 and tritium tracers and nonisothermal flow simulations: *Water Resources Research*, v. 28, no. 1, p. 285-297.

- Spangler, L.E., Naftz, D.L., and Peterman Z.E., 1996, Hydrology, chemical quality, and characterization of salinity in the Navajo aquifer in and near the greater Aneth oil field, San Juan County, Utah, U.S. Geological Survey Water-Resources Investigations Report 96-4155, 90 p.
- Susong, D.D., 1995, Water budget and simulation of one-dimensional unsaturated flow for a flood- and a sprinkler-irrigated field near Milford, Utah: U.S. Geological Survey Water-Resources Investigations Report 95-4072, 32 p.
- Thiros, S.A., and Brothers, W.C., 1993, Ground-water hydrology of the upper Sevier River basin, south-central Utah, and simulation of ground-water flow in the valley fill aquifer in Panguitch Valley: State of Utah Department of Natural Resources Technical Publication No. 102, 121 p.
- Thomas, H.E., and Taylor, G.H., 1946, Geology and ground-water resources of Cedar City and Parowan Valleys, Iron County, Utah: U.S. Geological Survey Water-Supply Paper 993, 210 p.
- Utah Climate Center, 1996, 1961-90 normal precipitation contours: Utah State University, Logan, Utah.
- Van Kooten, G.K., 1988, Structure and hydrocarbon potential beneath the Iron Springs laccolith, southwestern Utah: Geological Society of America Bulletin, v. 100, p. 1533-1540.
- Weigel, J.F., 1987, Selected hydrologic and physical properties of Mesozoic formations in the Upper Colorado River Basin in Arizona, Colorado, Utah, and Wyoming--excluding the San Juan Basin: U.S. Geological Survey Water-Resources Investigations Report 86-4170, 68 p.
- Welch, A.H., and Preissler, A.M., 1986, Aqueous geochemistry of the Bradys Hot Springs geothermal area, Churchill County, Nevada, *in* Selected Papers in the Hydrologic Sciences: U.S. Geological Survey Water-Supply Paper 2290, p. 17-36.
- Wilkowske, C.D., Heilweil, V.M., and Wilberg, D.E., 1998, Selected hydrologic data for the central Virgin River basin area, Washington and Iron Counties, Utah, 1915-97, U.S. Geological Survey Open-File Report 98-389, 53 p.